

| MC3400/MC3450 Competitive Analysis |                                                                                                                                                              |                                                                                   |                                                                                                                                                                                                                |                                                                                                                                                                                                                |                                                                                     |                                                                                              |                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Feature                            | MC3400/MC3450                                                                                                                                                | Honeywell CK62                                                                    | Honeywell CK67                                                                                                                                                                                                 | Honeywell CK65                                                                                                                                                                                                 | Datalogic Skorpio X5                                                                | Point Mobile PM451                                                                           | M3 US20                                                                                 | Why It Matters                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                    |                                                                             |  |                                                                                                                               |                                                                                                                             |  |           |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Physical Characteristics           |                                                                                                                                                              |                                                                                   |                                                                                                                                                                                                                |                                                                                                                                                                                                                |                                                                                     |                                                                                              |                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Form Factor                        | Straight Shooter (Brick), Gun                                                                                                                                | Straight Shooter (Brick), Gun (via screw-on gun handle)                           | Straight Shooter (Brick), Gun (via screw-on gun handle)                                                                                                                                                        | Straight Shooter (Brick), Gun (via screw-on gun handle)                                                                                                                                                        | Straight Shooter (Brick), Gun                                                       | Straight Shooter (Brick), Gun (via accessory)                                                | Straight Shooter (Brick), Gun (via accessory)                                           | If customers want a gun form factor with many of these competitive devices (CK62/CK65/CK67, PM451, US20), they'll need to purchase an additional accessory. A two-piece solution reduces the structural integrity of the device; drawbacks include inferior ergonomics, reduced durability and more parts to manage.                                                                                                                                                    |
| Dimensions                         | Straight Shooter:<br>8.2 in. x 2.9 in. x 1.5 in.<br>208.5 mm x 73.5 mm x 37.1 mm<br><br>Gun:<br>8.2 in. x 2.9 in. x 6.5 in.<br>208.5 mm x 73.5 mm x 165.3 mm | Straight Shooter:<br>8.11 in x 3.07 in x 1.06 in<br>206 mm x 78 mm x 27 mm        | Straight Shooter:<br>9.1 in x 3.3 in x 1.8 in<br>232 mm x 84 mm x 4.6 mm                                                                                                                                       | Straight Shooter (N6803 FlexRange):<br>8.9 in x 3.3 in x 1.7 in<br>227 mm x 83 mm x 42 mm                                                                                                                      | Straight Shooter:<br>6.69 in x 3.14 in x 1.4 in<br>218 mm x 78.5 mm x 35.6 mm       | Straight Shooter:<br>8.46 in. x 3.04 in. x 1.55 in<br>214.94 mm x 77.26 mm x 39.25 mm        | Straight Shooter:<br>7.76 in. x 2.91 in. x 1.4 in<br>197.2 mm x 74 mm x 35.3 mm         | The MC3400/MC3450 has among the smallest width and depth dimensions in this product class. The ergonomically balanced device provides all day comfort for any sized hand, even throughout the most scan intensive work day. Note that Honeywell's CK67 is approximately 50% larger in total volume than the MC3400/MC3450's straight shooter model.                                                                                                                     |
| Weight                             | Straight Shooter: 15.6 oz (442g)<br>Gun: 18.6 oz (528g)                                                                                                      | Straight Shooter: 15.55 oz (440g)                                                 | Straight Shooter: 18.2 oz (516g)                                                                                                                                                                               | Straight Shooter (N6803): 17.6 oz (498g)                                                                                                                                                                       | Straight Shooter: 17.2 oz (488g)<br>Gun: 21 oz (600g)                               | Straight Shooter: 15.87 oz (450g)                                                            | Straight Shooter (2D): 14.6 oz (416g)                                                   | The MC3400/MC3450 is among the lightest devices in this product class, improving worker comfort and reducing fatigue over long shifts. While M3 US20 is slightly lighter, it has a smaller capacity battery. The MC3400/MC3450 has the same weight as Honeywell's CK62, while the CK67 is 17% heavier (straight shooter models). Note that the only other device with an integrated gun form factor, Skorpio X5, is heavier for both brick and gun form factors.        |
| Display                            | 4 in. WVGA (800 x 480)<br>Standard: 350 NITS<br>Expanded and Full: 600 NITS                                                                                  | 4 in. WVGA (800 x 480)                                                            | 4.3 in. WVGA (800 x 480)                                                                                                                                                                                       | 4 in. WVGA (800 x 480)                                                                                                                                                                                         | 4.3 in. WVGA (800 x 480)                                                            | 4.3 in. WVGA (800 x 480)<br>500 NITS                                                         | 4 in. WVGA (800 x 480)                                                                  | With the MC3400/MC3450, the 4-inch display size was selected to optimize device weight and size. The optically bonded display provides sharper, clearer text and image rendering for a more immersive user experience. In addition, Expanded and Full models support 600 NITS, the brightest published display in this product class, for better indoor and outdoor readability - protecting productivity in a range of lighting conditions.                            |
| Touchpanel                         | Dual mode capacitive touch with finger, gloved finger or stylus input; screen protector; Corning Gorilla Glass optically bonded                              | Multi-touch capacitive; Corning Gorilla Glass 5                                   | Multi-touch capacitive; Automatic detection and configuration utilizing mutual and self-capacitance modes for water rejection and use with many off-the-shelf gloves; Corning Gorilla Glass 7 optically bonded | Multi-touch capacitive; Automatic detection and configuration utilizing mutual and self-capacitance modes for water rejection and use with many off-the-shelf gloves; Corning Gorilla Glass 5 optically bonded | Multi-touch capacitive panel with Gorilla Glass 3; support for gloves and stylus    | Dual mode capacitive touch with finger, gloved finger or stylus input; Corning Gorilla Glass | Dual mode capacitive touch with finger, gloved finger and stylus; Corning Gorilla Glass | Capacitive multi-touch touchscreen technology makes it easy to interact with apps, whether workers are wearing gloves, using a bare finger or stylus.                                                                                                                                                                                                                                                                                                                   |
| Keypad                             | Choice of three keypads                                                                                                                                      | Choice of two keypads                                                             | Choice of five keypads                                                                                                                                                                                         | Choice of five keypads                                                                                                                                                                                         | Choice of three keypads                                                             | Choice of three keypads                                                                      | Choice of three keypads                                                                 | While Honeywell CK65 and CK67 offer more keypad choices, the MC3400/MC3450 supports the most commonly used keypad configurations for warehousing and other supply chain use cases. The size and spacing of the MC3400/MC3450 keys have been carefully optimized based on in-depth user studies. The MC3400/MC3450 keypad is 12% larger than the MC3300, enabling larger keys with more space between the keys to reduce user input error while increasing productivity. |



| MC3400/MC3450 Competitive Analysis   |                                                                                                                                                                                                                  |                                                                                                                                      |                                                                                                                              |                                                                                                             |                                                                                     |                                                                                                                |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Feature                              | MC3400/MC3450                                                                                                                                                                                                    | Honeywell CK62                                                                                                                       | Honeywell CK67                                                                                                               | Honeywell CK65                                                                                              | Datalogic Skorpio X5                                                                | Point Mobile PM451                                                                                             | M3 US20                                                                             | Why It Matters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                      |                                                                                                                                 |                                                     |                                             |                          |  |                             |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Computing Platform                   |                                                                                                                                                                                                                  |                                                                                                                                      |                                                                                                                              |                                                                                                             |                                                                                     |                                                                                                                |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| OS                                   | Standard: Upgradeable to Android 15<br>Expanded and Full: Upgradeable to Android 18 (pending Qualcomm commitment)                                                                                                | 4GB RAM: Upgradeable to Android 16 (pending Qualcomm commitment)<br>8GB RAM: Upgradeable to Android 18 (pending Qualcomm commitment) | Upgradeable to Android 18                                                                                                    | Android 9 to 13; Android 14 pending feasibility                                                             | Android 10; upgradeable to Android 12                                               | Android 9 or 11; upgradeable to Android 14                                                                     | Android 10                                                                          | The MC3400/MC3450 offers a planned and reliable pathway to Android 17, with Android 18 pending Qualcomm commitment. (Expanded and Full models); provides operating system future proofing — ensuring that customers will be able to access all the latest Android features throughout the lifecycle of the device.                                                                                                                                                                                                      |
| Processor                            | Qualcomm® 4490 octa-core, 2.4 GHz                                                                                                                                                                                | Qualcomm® 4490 octa-core, 2.4 GHz                                                                                                    | Qualcomm® 4490                                                                                                               | Qualcomm® Snapdragon 2.2 GHz octa-core                                                                      | Qualcomm® Snapdragon 2.2 GHz octa-core                                              | Qualcomm® Snapdragon 2.2 GHz octa-core                                                                         | 2.2 GHz octa-core                                                                   | The MC3400/MC3450 features a newer Qualcomm platform that provides nearly 2.5 times greater processing power over the QC SD660. Qualcomm 4490 includes long-term support for Android releases and supports premium features like multi-Gigabit Wi-Fi 6E connectivity for advanced augmented reality applications.                                                                                                                                                                                                       |
| Memory                               | Standard: 4 GB RAM / 64 GB Flash<br>Expanded: 6 GB RAM / 64 GB Flash<br>Full: 6 GB RAM / 128 GB Flash                                                                                                            | 4 GB RAM / 64 GB Flash<br>8 GB RAM / 128 GB Flash                                                                                    | 8 GB RAM / 128 GB Flash                                                                                                      | 2 GB or 4 GB RAM / 32 GB Flash                                                                              | 3 GB or 4 GB RAM / 32 GB or 64 GB Flash                                             | 4 GB RAM / 64 GB Flash                                                                                         | 4 GB RAM / 64 GB Flash                                                              | While Honeywell CK62 and CK67 offer an 8 GB RAM option, the MC3400/MC3450 is right-priced with the right performance level for a mid-tier solution. With three different memory configurations, customers can choose the right solution for their needs.                                                                                                                                                                                                                                                                |
| Expandable Storage                   | MicroSD supports up to 2 TB                                                                                                                                                                                      | MicroSD supports up to 2 TB                                                                                                          | MicroSD supports up to 2 TB                                                                                                  | MicroSD supports up to 512 GB                                                                               | MicroSD supports up to 256 GB                                                       | Not supported                                                                                                  | MicroSD supports up to 512 GB                                                       | The MC3400/MC3450 offers up to 2 TB of expandable storage to meet the needs of virtually any application.                                                                                                                                                                                                                                                                                                                                                                                                               |
| Android Enterprise Recommended (AER) | Yes                                                                                                                                                                                                              | Yes                                                                                                                                  | Not specified                                                                                                                | Not specified                                                                                               | Yes                                                                                 | Yes                                                                                                            | Yes                                                                                 | The MC3400/MC3450 meets Google's strict requirements for the elevated needs of the enterprise.                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Security                             | FIPS 140-2 Validated (ISO 19790) and Common Criteria certified (ISO 15408); Supports Secure Boot and Verified Boot                                                                                               | Not specified                                                                                                                        | Not specified                                                                                                                | FIPS 140-2                                                                                                  | Not specified                                                                       | Not specified                                                                                                  | Not specified                                                                       | The MC3400/MC3450 offers increased security features:<br>- Secure boot ensures the device boots only software that is trusted by Zebra<br>- Verified boot ensures all executed code comes from a trusted source<br>- FIPS 140-2 is a U.S. Government security standard that protects cryptographic modules to ensure the security of the device and data at rest and in motion                                                                                                                                          |
| User Environment                     |                                                                                                                                                                                                                  |                                                                                                                                      |                                                                                                                              |                                                                                                             |                                                                                     |                                                                                                                |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Sealing                              | IP65/IP67                                                                                                                                                                                                        | IP65                                                                                                                                 | IP65/IP68                                                                                                                    | IP65/IP68                                                                                                   | IP65                                                                                | IP65                                                                                                           | IP65                                                                                | With dual IP65/IP67 sealing, the MC3400/MC3450 is 100 percent dustproof, can handle the force of jetting water and can be fully submerged in water. While CK65 and CK67 have IP68 sealing, any advantage is nominal for mobile computing use cases, as the only difference is that IP68 sealed devices can be submerged in deeper water than IP67.                                                                                                                                                                      |
| Drop Specification                   | Per MIL-STD 810H: 8 ft (2.4m)* to concrete at (+23C/+73F)<br><br>6 ft (1.8m) to concrete across temperature (-20C to +50C/-4F to +122F) exceeding MIL-STD-810H<br><br>*Applicable to WLAN Gun configuration only | 6 ft (1.8m) to concrete across -10C to +50C (+14F to +122F) per MIL-STD-810H                                                         | 10 ft (3m) drops to concrete at room temperature<br><br>8 ft (2.4m) drops across operating range (-20C to +50C/-4F to +122F) | 10 ft (3m) drops to concrete at room temperature<br><br>8 ft (2.4m) across operating range per MIL-STD 810G | 6 ft (1.8m) drops to concrete                                                       | 6.5 ft (2m) drops at room temperature per MIL-STD 810G<br><br>6 ft (1.8m) drops to concrete across temperature | 6 ft (1.8m) drops to concrete across temperature per MIL-STD 810G                   | The MC3400/MC3450 represents Zebra's mid-tier key-based mobile computer; customers get a rugged 8 ft (2.4m) drop spec without paying a premium. If your customers require a higher drop spec, position the MC9400/MC9450. Note that the CK62 has reduced drop performance at low temperatures (below +14F/-10C). And while the CK65 has a higher drop spec, the MC3400/MC3450 has a more rugged tumble test, which can be a more accurate representation of the wear and tear a device will experience during real use. |
| Tumble Specification                 | 4,000 3.3 ft. (1m) tumbles; meets or exceeds IEC tumble specification                                                                                                                                            | 3,000 3.3 ft. (1m) tumbles; per IEC tumble specification                                                                             | 4,000 3.3 ft. (1m) tumbles; per IEC tumble specification                                                                     | 3,000 3.3 ft. (1m) tumbles; per IEC tumble specification                                                    | 1,000 3.3 ft. (1m) tumbles (2,000 hits)                                             | 1,000 3.3 ft. (1m) tumbles (2,000 hits)                                                                        | 3,000 3.3 ft. (1m) tumbles; meets or exceeds IEC tumble specification               | The MC3400/MC3450 offers among the most rugged tumble specs in this product class. The tumble test is a more accurate representation of the wear and tear a device will experience during real use.                                                                                                                                                                                                                                                                                                                     |
| Operating Temperature                | -4F to +122F (-20C to +50C)                                                                                                                                                                                      | -4F to +122F (-20C to +50C)                                                                                                          | -4F to +122F (-20C to +50C)                                                                                                  | Standard Temp Unit: -4F to 122F (-20C to 50C)<br><br>Cold Storage Unit: -22F to 122F (-30C to 50C)          | -4F to +122F (-20C to +50C)                                                         | Standard: -4F to +140F (-20C to +60C)<br><br>Cold storage option: -22F to +140F (-30C to +60C)                 | -4F to +140F (-20C to +60C)                                                         | The MC3400/MC3450 supports a wide rugged temperature range that's suited for the toughest outdoor environments, but it does not offer a cold storage/freezer model. If your customer requires freezer operations, position the MC9400.                                                                                                                                                                                                                                                                                  |

| MC3400/MC3450 Competitive Analysis |                                                                                                                                                                                                 |                                                                                                                           |                                                                                   |                                                                                                                                                                  |                                                                                     |                                                                                                           |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Feature                            | MC3400/MC3450                                                                                                                                                                                   | Honeywell CK62                                                                                                            | Honeywell CK67                                                                    | Honeywell CK65                                                                                                                                                   | Datalogic Skorpio X5                                                                | Point Mobile PM451                                                                                        | M3 US20                                                                             | Why It Matters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                    |                                                                                                                |                                          |  |                                                                               |  |                        |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Data Capture                       |                                                                                                                                                                                                 |                                                                                                                           |                                                                                   |                                                                                                                                                                  |                                                                                     |                                                                                                           |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Scan Engine Options                | SE58 1D/2D Extended Range Scan Engine with IntelliFocus™ technology<br>SE55 Advanced Range Scan Engine with IntelliFocus™ technology<br>SE4770 1D/2D Scan Engine<br>SE4710 1D/2D Scan Engine    | SO703 Slim Imager Engine (1D/2D)<br>Honeywell FlexRange XLR Slim Imager (1D/2D)                                           | SO703 Slim Imager Engine (1D/2D)<br>Honeywell FlexRange XLR Slim Imager (1D/2D)   | N6703 Slim Imager Engine (1D/2D)<br>N6803 FlexRange Slim Imager (1D/2D)<br>Honeywell FlexRange XLR Slim Imager (1D/2D)<br>Honeywell EX20 Near/Far Imager (1D/2D) | 1D Imager<br>2D Imager Standard Range<br>2D Imager Mid-Range                        | 1D Laser (Zebra SE965)<br>1D/2D Standard Range (Honeywell N6703)<br>1D/2D Extended Range (Honeywell EX30) | Zebra SE4770 1D/2D Scan Engine<br>Zebra SE4850 1D/2D Extended Range Scan Engine     | The MC3400/MC3450 offers four scan engine options, enabling your customers to choose the configuration that's right for their use cases. Most notably, Zebra's latest extended range scan engine (SE58) delivers the industry's widest working range – from barcodes in hand to over 100 ft (30m) away. Its working ranges are greater than Honeywell's EX30 (FlexRange) across a range of barcode types and densities. That means that forklift operators can reach the farthest codes without getting out of their vehicle; retail associates can scan items on the top shelf without climbing a ladder; and yard operators can easily reach barcodes on the highest cargo container. In addition, the SE58's green laser aimer is up to 7x more visible than a red aimer, making it easier for workers to accurately aim and successfully scan in varied lighting conditions, including outdoors in ports and yards. |
| Rear Camera                        | 13 MP (optional; all form factors)                                                                                                                                                              | 13 MP                                                                                                                     | 13 MP                                                                             | 13 MP                                                                                                                                                            | 13 MP                                                                               | 13 MP                                                                                                     | 16 MP PDAF                                                                          | A 13 MP camera provides highly detailed photos/videos to document proof of condition, proof of compliance and more.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Front Camera                       | 5 MP (optional; all form factors)                                                                                                                                                               | No                                                                                                                        | 8 MP                                                                              | No                                                                                                                                                               | No                                                                                  | No                                                                                                        | No                                                                                  | The MC3400/MC3450 has a front-facing camera to support biometric facial recognition, video conferencing and locationing applications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| OCR                                | Yes<br>Optional OCR Wedge licenses: vehicle identification, tire identification, license plate, meter and shipping container identification numbers, drivers' licenses and identification cards | Limited<br>Phone numbers and zip codes only                                                                               | Limited<br>Phone numbers and zip codes only                                       | Limited<br>Phone numbers and zip codes only                                                                                                                      | No                                                                                  | No                                                                                                        | No                                                                                  | Zebra's optional OCR Wedge licenses effortlessly capture standardized data, such as information on license plates and odometers, shipping container IDs in ports and yards and more; reduces the time it takes to enter the data manually and reducing the high probability for data entry error.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| NFC                                | Yes                                                                                                                                                                                             | Yes                                                                                                                       | Yes                                                                               | Yes                                                                                                                                                              | Yes                                                                                 | Yes                                                                                                       | Yes                                                                                 | NFC makes it easy to pair a ring scanner, mobile printer, headset; reduces support calls and downtime due to pairing problems.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Connectivity                       |                                                                                                                                                                                                 |                                                                                                                           |                                                                                   |                                                                                                                                                                  |                                                                                     |                                                                                                           |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Wi-Fi                              | Wi-Fi 6E 2x2 Mu-MIMO<br>Zebra-only Wireless Fusion                                                                                                                                              | Wi-Fi 6E 2x2 Mu-MIMO                                                                                                      | Wi-Fi 6E 2x2 Mu-MIMO                                                              | Wi-Fi 5 2x2 MIMO                                                                                                                                                 | Wi-Fi 5 2x2 Mu-MIMO                                                                 | Wi-Fi 5 2x2 Mu-MIMO                                                                                       | Wi-Fi 5, Mu-MIMO                                                                    | The MC3400/MC3450 supports Wi-Fi 6E, which offers 4x the bandwidth, 4x higher capacity and 75 percent lower latency than Wi-Fi 5. In addition, the advanced Zebra-only features in Wireless Fusion (included as part of Zebra DNA) provide proprietary Wi-Fi radio hardware and software that keep on the move workers connected as they roam throughout a facility.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Bluetooth                          | v5.3; secondary BLE for beaconing within optional BLE battery                                                                                                                                   | v5.3, v2.1                                                                                                                | v5.3; secondary BLE available on all SKUs                                         | v5.0                                                                                                                                                             | v5.0                                                                                | v5.0                                                                                                      | v4.1                                                                                | Better Bluetooth: compared to V5.0 and V5.2, Bluetooth V5.3 offers increased energy efficiency, more reliable connections through reduced interference, and enhanced security.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Cellular                           | MC3450: 5G with support for private 5G deployments (available Q2 2025)                                                                                                                          | 5G, but limited<br>WWAN/cellular is not supported in North America (Wi-Fi SKUs only)<br>No support for private 5G in EMEA | 5G with support for private 5G deployments                                        | No                                                                                                                                                               | No                                                                                  | 4G                                                                                                        | 4G                                                                                  | The MC3450 offers both private and public 5G wireless data connectivity, bringing new affordable wireless networking options to expansive outdoor and indoor environments. A large number of target customers are ideal prospects for private 5G networking: warehousing, yards, ports and manufacturing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| SIM                                | MC3450: 1 nano SIM and 1 eSIM (not applicable to China specific SKUs)                                                                                                                           | 1 nano SIM and 1 eSIM                                                                                                     | 1 nano SIM and 1 eSIM                                                             | N/A (no cellular)                                                                                                                                                | N/A (no cellular)                                                                   | 1 micro SIM                                                                                               | 2 micro SIM                                                                         | A physical nano SIM and eSIM enable devices to support private 5G and 5G networks simultaneously to ensure connectivity.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



| MC3400/MC3450 Competitive Analysis |                                                                                                                                                                                                                                                                |                                                                                                                                                                                      |                                                                                                             |                                                                                                                                                                                      |                                                                                                                                                                                      |                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Feature                            | MC3400/MC3450                                                                                                                                                                                                                                                  | Honeywell CK62                                                                                                                                                                       | Honeywell CK67                                                                                              | Honeywell CK65                                                                                                                                                                       | Datalogic Skorpio X5                                                                                                                                                                 | Point Mobile PM451                                                                  | M3 US20                                                                             | Why It Matters                                                                                                                                                                                                                                                                                                                                                                    |
|                                    |                                                                                                                                                                               |                                                                                                     |                            |                                                                                                   |                                                                                                   |  |  |                                                                                                                                                                                                                                                                                                                                                                                   |
| Power                              |                                                                                                                                                                                                                                                                |                                                                                                                                                                                      |                                                                                                             |                                                                                                                                                                                      |                                                                                                                                                                                      |                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                   |
| Battery                            | Standard: 7000mAh<br>Optional BLE: 7000mAh                                                                                                                                                                                                                     | 7000mAh                                                                                                                                                                              | 7000mAh<br>Secondary BLE available                                                                          | 7000mAh                                                                                                                                                                              | Standard: 3460mAh<br>Extended: 6080mAh (extended battery not available on pistol grip models)                                                                                        | Standard: 5700mAh<br>Optional: 4000mAh                                              | Standard: 6700mAh<br>Optional: 2600mAh                                              | The MC3400/MC3450 offers among the highest capacity battery in this product class and is able to power multiple shifts on a single charge.                                                                                                                                                                                                                                        |
| Battery Swap                       | Hot swap                                                                                                                                                                                                                                                       | Hot swap                                                                                                                                                                             | Hot swap                                                                                                    | Hot swap                                                                                                                                                                             | Hot swap                                                                                                                                                                             | Hot swap                                                                            | Hot swap                                                                            | All devices in this product class offer hot swap support. The MC3400/MC3450 provides WLAN session persistence (30 sec), minimizing interruption to the user's workflow.                                                                                                                                                                                                           |
| Battery Metrics                    | PowerPrecision+ batteries provide a wealth of health-related battery metrics                                                                                                                                                                                   | Limited                                                                                                                                                                              | Limited                                                                                                     | Limited                                                                                                                                                                              | No                                                                                                                                                                                   | No                                                                                  | No                                                                                  | Only the MC3400/MC3450 provides a ready-to-use free solution that provides visibility into battery health metrics that allow your customers to easily identify and remove aging batteries before they can no longer power a full shift and impact worker productivity. Zebra offers the most comprehensive collection of real-time battery metrics for better battery management. |
| Solutions                          |                                                                                                                                                                                                                                                                |                                                                                                                                                                                      |                                                                                                             |                                                                                                                                                                                      |                                                                                                                                                                                      |                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                   |
| Device Tracking                    | Yes, with optional Device Tracker license<br><br>Optional BLE battery enables device tracking when the device is powered off or the battery is depleted                                                                                                        | Standard "Find my device" feature via Google services; not purpose built for enterprise use<br><br>No secondary BLE beacon for tracking devices that are powered off or low in power | Limited: while CK67 does support a secondary BLE, Honeywell offers basic device tracking functionality only | Standard "Find my device" feature via Google services; not purpose built for enterprise use<br><br>No secondary BLE beacon for tracking devices that are powered off or low in power | Standard "Find my device" feature via Google services; not purpose built for enterprise use<br><br>No secondary BLE beacon for tracking devices that are powered off or low in power | Not available; no secondary BLE beacon                                              | Not available; no secondary BLE beacon                                              | Zebra's Device Tracker (optional solution) provides instant visibility into all your customer's devices, eliminating time-consuming searches for missing devices and maximizing device availability.                                                                                                                                                                              |
| Biometric Facial Recognition       | Identity Guardian (optional service)                                                                                                                                                                                                                           | No                                                                                                                                                                                   | No                                                                                                          | No                                                                                                                                                                                   | No                                                                                                                                                                                   | No                                                                                  | No                                                                                  | The MC3400/MC3450 supports a front-facing camera and biometric facial recognition. Zebra's Identity Guardian saves workers time since they don't need to type in credentials to log into the device and removes the risk of shared/compromised passwords.                                                                                                                         |
| Push-to-Talk (PTT)                 | Yes — tested, proven and ready to deploy Workcloud Communications PTT (Wi-Fi only) and PTT Pro (Wi-Fi and cellular) (optional solutions)                                                                                                                       | Yes with Honeywell Smart Talk (optional solution)                                                                                                                                    | Yes with Honeywell Smart Talk (optional solution)                                                           | Yes with Honeywell Smart Talk (optional solution)                                                                                                                                    | Compatible with third-party Zello application                                                                                                                                        | No                                                                                  | No                                                                                  | Warehouses, manufacturing and other organizations can connect their staff with a fully-scalable suite of communication tools with Zebra's Workcloud Communication. Staff can stay connected via secure texts or voice messaging using PTT.                                                                                                                                        |
| Task Management                    | Yes with Workcloud Task Management (optional solution)                                                                                                                                                                                                         | No                                                                                                                                                                                   | No                                                                                                          | No                                                                                                                                                                                   | No                                                                                                                                                                                   | No                                                                                  | No                                                                                  | This ready-to-use Zebra solution gives workers a single, mobile platform to access all their tasks, automatically organized by priority. Managers can ensure the right worker is in the right place, and have real-time visibility into what's happening and what's being done.                                                                                                   |
| TE Support                         | Ivanti All-Touch TE (ATTE) pre-loaded and pre-licensed:<br><br>Gun Expanded and Full models come pre-licensed for the lifetime of the device.<br><br>12-month term subscription to Ivanti Velocity on Standard Gun, Expanded and Full Straight Shooters models | BasicTE (Basic Terminal Emulation)                                                                                                                                                   | BasicTE (Basic Terminal Emulation)                                                                          | StayLinked SmartTE pre-loaded and pre-licensed                                                                                                                                       | Compatible with: StayLinked SmartTE, Ivanti Velocity; not pre-loaded or pre-licensed                                                                                                 | Not specified                                                                       | Not specified                                                                       | Support for Ivanti All-Touch TE (ATTE) enables customers to run their 'green screen' apps right out of the box — no backend modification or user training required. Ivanti ATTE is pre-loaded and pre-licensed on the MC3400/MC3450 (subscription term dependent on configuration) for ease of deployment.                                                                        |
| Software                           | Zebra DNA Enterprise                                                                                                                                                                                                                                           | Honeywell Mobility Edge; less developed and fewer features than Zebra DNA                                                                                                            | Honeywell Mobility Edge; less developed and fewer features than Zebra DNA                                   | Honeywell Mobility Edge; less developed and fewer features than Zebra DNA                                                                                                            | Limited                                                                                                                                                                              | Limited                                                                             | Limited                                                                             | Zebra DNA offers the most mature, tested and proven set of software tools for IT and end users that make it easier to integrate, secure, deploy, manage and use Zebra devices.                                                                                                                                                                                                    |